Name: aurea (au)

Accessions: Ph1 (LA4486)

Gene ID: Solyc01g008930

Map position: chromosome 1 (short arm)

Gene function: phytochromobilin synthase, homologous to AtHY2 gene

Gene effect: Plants with the mutated allele fail to perceive light for photomorphogenesis (de-etiolation, chloroplast differentiation).

Phenotypes: MT-*au* seedlings are etiolate with bright yellow cotyledons. Adult plants are taller than MT and present bright yellow leaves.

Comments:

Description of accessions available: MT-au is a BC6Fn introgressed from LA1529

Figures:



MT-*au* (right) showing etiolation in the light, which leads to taller, chlorotic and lessbranched plants. The blue pipette tip has 8 cm.

Bibliography

• of special interest

•• of outstanding interest

•Becker TW, Foyer C, Caboche M (1992) Light-regulated expression of the nitratereductase and nitrite-reductase genes in tomato and in the phytochrome-deficient *aurea* mutant of tomato. Planta 188:39-47.

Bertram L, Lercari B (1997) Kinetics of stem elongation in light-grown tomato plants. Responses to different photosynthetically active radiation levels by wild-type and *aurea* mutant plants. Photochemistry and Photobiology 66:396–403.

•Biehler K, Haupt S, Beckmann J, Fock H, Becker TW (1997) Simultaneous CO_2 and ${}^{16}O_2/{}^{18}O_2$ gas exchange and fluorescence measurements indicate differences in light energy dissipation between the wild type and the phytochrome-deficient *aurea* mutant of tomato during water stress. Journal of Experimental Botany 48:1439-1449.

Brandt K, Giannini A, Lercari B (1995) Photomorphogenic responses to UV radiation IIII: A comparative study of UVB effects on anthocyanin and flavonoid accumulation in wild-type and *aurea* mutant of tomato (*Lycopersicon esculentum* Mill.) Photochemistry and Photobiology 62:1081–1087.

Carvalho RF, Quecini V, Peres LEP (2010) Hormonal modulation of photomorphogenesis-controlled anthocyanin accumulation in tomato (*Solanum lycopersicum* L. cv Micro-Tom) hypocotyls: Physiological and genetic studies. Plant Science, 178:258-264.

Carvalho RF, Campos ML, Pino LE, Lombardi-Crestana SL, Zsogon A, Lima JE, Benedito VA, Peres LEP (2011) Convergence of developmental mutants into a single tomato model system: Micro-Tom as an effective toolkit for plant development research. Plant Methods, 7:18.

Casal JJ (1994) Stem extension-growth responses to blue light require Pfr in tomato seedlings but are not reduced by the low phytochrome levels of the *aurea* mutant. Physiologia Plantarum 91:263–267.

Casal JJ, Kendrick RE (1993) Impaired phytochrome-mediated shade-avoidance responses in the *aurea* mutant of tomato. Plant, Cell & Environment 16:703–710.

Georghiou K, Kendrick RE (1991) The germination characteristics of phytochromedeficient *aurea* mutant tomato seeds. Physiologia Plantarum 82:127–133.

Goud KV, Sharma R (1994) Retention of photoinduction of cytosolic enzymes in *aurea* mutant of tomato (Lycopersicon esculentum). Plant Physiology 105: 643-650.

Kendrick, RE, Kerckhoffs LHJ, Pundsnes AS, van Tuinen, A, Koornneef M, Nagatani A, Terry MJ, Tretyn A, Cordonnier-Pratt MM, Hauser B, Pratt LH (1994) Photomorphogenic mutants of tomato. Euphytica 79: 227–234.

Koornneef M, Cone JW, Dekens RG, O'Herne-Robers EG, Spruit CJP, Kendrick RE (1985) Photomorphogenic responses of long hypocotyls mutants of tomato. Journal of Plant Physiology 120: 153–165.

Ken-Dror S, Horwitz BA (1990) Altered phytochrome regulation of greening in an *aurea* mutant of tomato. Plant Physiology 92:1004-1008.

Lercari B, Sodi F (1992) Photomorphogenic responses to UV radiation II: A comparative study of UV effects on hypocotyl elongation in a wild-type and an *aurea* mutant of tomato (Lycopersicon esculentum Mill.). Photochemistry and Photobiology 56:651–654.

Lercari B, Di Paola ML (1991) Photoregulation of seed germination of wild-type and of an *aurea*-mutant of tomato. Physiologia Plantarum 83:265–268.

Lercari B, Sodi F, Di Paola ML (1990) Photomorphogenic responses to UV radiation: Involvement of phytochrome and UV photoreceptors in the control of hypocotyl elongation in *Lycopersicon esculentum*. Physiologia Plantarum 79:668–672.

•López-Juez E, Nagatani A, Buurmeijer WF, Peters JL, Furuya M, Kendrick RE, Wesselius JC (1990) Response of light-grown wild-type and *aurea*-mutant tomato plants to endof-day far-red light. Journal of Photochemistry and Photobiology B: Biology 4:391-405.

Marcenaro S, Voyiatzi C, Lercari B (1994) Photocontrol of in vitro bud regeneration: A comparative study of the interaction between light and IAA in a wild type and an *aurea* mutant of *Lycopersicon esculentum*. Physiologia Plantarum 91: 329–333.

Migge A, Carrayol E, Hirel B, Lohmann M, Meya G, Becker TW (1998) Regulation of the subunit composition of plastidic glutamine synthetase of the wild-type and of the phytochrome-deficient *aurea* mutant of tomato by blue/ UV-A- or by UV-B-light. Plant Molecular Biology 37:689–700.

••Muramoto T, Kami C, Kataoka H, Iwata N, Linley PJ, Mukougawa K, Yokota A, Kohchi T (2005) The tomato photomorphogenetic mutant, *aurea*, is deficient in phytochromobilin synthase for phytochrome chromophore biosynthesis. Plant Cell Physiology 46: 661-665.

Oelmüller R, Kendrick RE (1991) Blue light is required for survival of the tomato phytochrome-deficient *aurea* mutant and the expression of four nuclear genes coding for plastidic proteins. Plant Molecular Biology 16:293-299.

•Oelmüller R, Kendrick RE, Briggs WR (1989) Blue-light mediated accumulation of nuclear-encoded transcripts coding for proteins of the thylakoid membrane is absent in the phytochrome-deficient *aurea* mutant of tomato. Plant Molecular Biology 13:223-232.

••Parks BM, Jones AM, Adams P, Koornneef M, Kendrick RE, Quail PH (1987) The *aurea* mutant of tomato is deficient in spectrophotometrically and immunochemically detectable phytochrome. Plant Molecular Biology 9:97-107.

Ryberg M, Terry MJ (2002) Analysis of protochlorophyllide reaccumulation in the phytochrome chromophore-deficient *aurea* and *yg-2* mutants of tomato by in vivo fluorescence spectroscopy. Photosynthesis Research 74: 195–203.

Sharma R, López-Juez E, Nagatani A, Furuya M (1993) Identification of photo-inactive phytochrome A in etiolated seedlings and photo-active phytochrome B in green leaves of the *aurea* mutant of tomato. The Plant Journal 4:1035-1042.

••Sharrock RA, Parks BM, Koornneef M, Quail PH (1988) Molecular analysis of the phytochrome deficiency in an *aurea* mutant of tomato. Molecular and General Genetics 213:9-14.

Terry MJ, Kendrick RE (1999) Feedback inhibition of chlorophyll synthesis in the phytochrome chromophore-deficient *aurea* and *yellow-green-2* mutants of tomato. Plant Physiology 119: 143-152.

Terry MJ, Kendrick RE (1996) The *aurea* and *yellow-green-2* mutants of tomato are deficient in phytochrome chromophore synthesis. The Journal of Biological Chemistry 271:21681–21686.

van Tuinen A, Hanhart CJ, Kerckhoffs LHJ, Akira Nagatani A, Boylan MT, Quail PH, Kendrick RE, Koornneef M (1996) Analysis of phytochrome-deficient *yellow-green-2* and *aurea* mutants of tomato. The Plant Journal 9:173–182.