Name: fasciated (f)

Accessions: FS1

Gene ID: Solyc11g071810

Map position: chromosome 11 (long arm)

Gene function: YABBY-like transcription factor.

Gene effect: The mutated allele increases the number of whorls (sepals, petals and carpels) during flower development. The increased number of carpels contributes to improve fruit size.

Phenotypes: MT-*f* presents flowers with more than 6 sepals and petals instead of 5 in the control MT. The unfused extra carpels in each flower produce a large multi loculated fruit.

Comments:

Description of accessions available: MT-*f* is a BC6Fn introgressed from cv Caqui

Figures:



<u>Left photo</u>: MT-*f* showing large fruits. <u>Right photo</u>: Close up of MT-*f* flowers. This kind of aberrant flower (center) is very often in MT-*f*. Most flowers of MT-*f* have more than 6 whorls instead of 5 in MT.

Bibliography

Barrero LS, Tanksley SD (2004) Evaluating the genetic basis of multiple-locule fruit in a broad cross section of tomato cultivars. Theoretical and Applied Genetics 109:669-679.

Barrero L, Cong B, Wu F, Tanksley SD (2006) Developmental characterization of the fasciated locus and mapping of Arabidopsis candidate genes involved in the control of floral meristem size and carpel number in tomato. Genome 49:991-1006.

Cong B, Barrero LS, Tanksley SD (2008) Regulatory change in YABBY-like transcription factor led to evolution of extreme fruit size during tomato domestication. Nature Genetics 40:800-804.

Lippman Z, Tanksley S (2001) Dissecting the genetic pathway to extreme fruit size in tomato using a cross between the small-fruited wild species *Lycopersicon pimpinellifolium* and *L. esculentum* var. Giant Heirloom. Genetics 158:413–422.

Rodríguez GR, Muños S, Anderson C, Sim S-C, Michel A, Causse M, Gardener BBM, Francis D, van der Knaap E (2011). Distribution of SUN, OVATE, LC and FAS in the tomato germplasm and the relationship to fruit shape diversity. Plant Physiology 156: 275-285

Tanksley SD (2004) The genetic, developmental, and molecular bases of fruit size and shape variation in tomato. The Plant Cell 16:S181–189.