Name: crimson (og)

Accessions:

Gene ID: Solyc06g074240

Map position: chromosome 6 (long arm).

Gene function: chromoplast-specific lycopene beta cyclase (*Cyc-B*).

Gene effect: plants with the mutated allele abolish the conversion of lycopene into beta-carotene, creating a high-lycopene fruit.

Phenotypes: increased fruit lycopene. In some environments the corolla becomes tawny orange.

Comments:

Description of accessions available: MT-*og* is a BC6Fn introgressed from cv Ouro Velho.

Figures:



crimson (left) showing increased fruit red color (lycopene)

Bibliography

Araújo ML de, Maluf WR, Gomes LAA, Oliveira ACB (2002) Intra and interlocus interactions between *alcobaça (alc), crimson (og^c)*, and *high pigment (hp)* loci in tomato *Lycopersicon esculentum* Mill. Euphytica 125: 215–226.

Bramley P M (2002) Regulation of carotenoid formation during tomato fruit ripening and development. J. Exp. Bot. 53: 2107–2113.

Faria MV, Maluf WR, Azevedo SM, Andrade Júnior VC, Gomes LAA, Moretto P, Licursi V (2003) Yield and post-harvest quality of tomato hybrids heterozygous at the loci *alcobaça*, *old gold-crimson* or *high pigment*. Genetics and Molecular Research 2: 317-327.

Long M, Millar DJ, Kimura Y, Donovan G, Rees J, Fraser PD, Bramley PM, Bolwell GP (2006) Metabolite profiling of carotenoid and phenolic pathways in mutant and transgenic lines of tomato: Identification of a high antioxidant fruit line. Phytochemistry 67:1750–1757.

Mohr WP (1979) Pigment bodies in fruits of *crimson* and *high pigment* lines of tomatoes. Annals of Botany 44: 427–434.

Rick CM, Smith PG (1953) Novel variation in tomato Species hybrids. The American Naturalist, 87:359-373

Ronen G, Goren C, Zamir D, Hirschberg J (2000) An alternative pathway to beta - carotene formation in plant chromoplasts discovered by map-based cloning of *beta* and *old-gold* color mutations in tomato. Proceedings of the National Academy of Sciences of the United States of America 97: 11102-11107.

Wann EV, Jourdain EL, Pressay R, Lyon BG (1985) Effect of mutant genotypes $hp \ og^c$ and $dg \ og^c$ on tomato fruit quality. Journal of the American Society of Horticultural Science 110: 212–215.

.